



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 183]

No. 183]

नई दिल्ली, सोमवार, जुलाई 9, 2007/आषाढ़ 18, 1929

NEW DELHI, MONDAY, JULY 9, 2007/ASADHA 18, 1929

वाणिज्य एवं उद्योग मंत्रालय

(वाणिज्य विभाग)

सार्वजनिक सूचना

नई दिल्ली, 9 जुलाई, 2007

सं. 14 (आर ई-2007)/2004-2009

फा. सं. 01/87/171/00001/ए एम 08/डीईएस-8.—विदेश व्यापार नीति, 2004-2009 के पैराग्राफ 2.4 और प्रक्रिया पुस्तक, (खण्ड-1) के पैरा 1.1 के तहत प्रदत्त शक्तियों का प्रयोग करते हुए, महानिदेशक, विदेश व्यापार एतद्वारा समय-समय पर यथासंशोधित प्रक्रिया पुस्तक, खण्ड-2, 2004-2009, में निम्नलिखित संशोधन/परिवर्धन विलोपन और शुद्धिकरण करते हैं।

2. प्रक्रिया पुस्तक (खण्ड-2), 2004-2009, समय-समय पर यथासंशोधित, में यथा निहित मानक निविष्टि उत्पादन मानदण्डों के विवरण में इस सार्वजनिक सूचना के अनुलग्नक 'क' (पृष्ठ 2-5) में यथा निर्दिष्ट उपयुक्त स्थलों पर संशोधन/विलोपन/शुद्धियां/परिवर्धन किए गए हैं।

3. मानक निविष्टि उत्पादन मानदण्डों के विवरण में यथा निर्दिष्ट उपयुक्त स्थानों पर निम्नलिखित परिवर्धन किए जाएंगे :-

इंजिनियरी उत्पाद

क्रम सं. ग-2034 पर मौजूदा प्रविष्टि के बाद, इस सार्वजनिक सूचना के अनुलग्नक 'ख' (पृष्ठ 6-8) के अनुसार क्रम सं. ग-2035 से क्रम सं. ग-2037 पर नई इंजीनियरी तालिका सं. 9(6), 9(7) और 9(8) जोड़ी गई है।

प्लास्टिक उत्पाद

इस सार्वजनिक सूचना के अनुलग्नक 'ग' (पृष्ठ 9) के अनुसार प्लास्टिक उत्पाद (उत्पाद कोड: ज) हेतु सामान्य टिप्पणियां जोड़ी गई हैं।

इसे लोकहित में जारी किया जाता है।

आर. एस. गुजराल, महानिदेशक, विदेश व्यापार

सार्वजनिक सूचना संख्या 14 (आर. ई.-2007/2004-2009) का अनुलग्नक 'क'

दिनांक 09-07-2007

संशोधन/शुद्धियाँ

| क्र.सं. | पृष्ठ सं. | सन्दर्भ | संशोधन/शुद्धियाँ |
|---------|-----------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | 2 | 3 | 4 |
| 01 | क 262 | उत्पाद समूह: रसायन और सम्बद्ध उत्पाद क्र. सं. क 3042 पर सिआन प्रविष्टि | प्रविष्टि के सामने निर्यात मद 'डायड्रोमायरीसॉल' के लिए अनुमत आयात मद और मात्रा को निम्नानुसार पढ़ा जाएगा: “ अल्फा पायनीन.....1.77 किग्रा” |
| 02 | ग 85 | उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 527 | प्रविष्टि के सामने क्रम सं.1 पर आयात मद और अनुमत मात्रा निम्नानुसार संशोधित की जाती है: 1(ख) स्टेनलैस स्टील वायर रॉड्स..... 1060 किग्रा, या 1(ख) 1 एमएम और उससे कम के थिनर वायर के रिड्राइंग के लिए 1.2 एमएम और इससे अधिक डाया के स्टेनलैस स्टील वायर.....1020 किग्रा, या 1(ग) 0.25 एमएम और उससे कम के थिनर वायर के रिड्राइंग के लिए 0.7 एमएम और इससे अधिक डाया के स्टेनलैस स्टील वायर.....1020 किग्रा, |
| 03 | ग 113 | उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 856 पर | प्रविष्टि के सामने निर्यात मद 'स्टील स्टैन्डर्ड वायर' के लिए आयात मद और अनुमत मात्रा निम्नानुसार संशोधित की जाती है: |

| | | | |
|----|-------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | <p>1(क) एमएस वायर रॉड..1.05 किग्रा, या 1(ख) रेलिवेंट ग्रेड और डायल की स्टील वायर1.02 किग्रा,</p> |
| 04 | ग 164 | <p>उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 1168 पर</p> | <p>प्रविष्टि के सामने निर्यात मद 'ब्रास फायल' के लिए आयात मद और मात्रा निम्नानुसार संशोधित की जाती है:</p> <p>1(क) निर्यात उत्पाद में कॉपर कैथोड इन्गोट्स.... 1.05 किग्रा/किग्रा कान्टैन्ट, या 1(ख) निर्यात उत्पाद में कॉपर स्क्रेप... 1.075 किग्रा/किग्रा कान्टैन्ट</p> <p>(2) निर्यात उत्पाद में जिक इन्गोट.....1.05 किग्रा/किग्रा कान्टैन्ट</p> |
| 05 | ग 166 | <p>उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 1186 पर</p> | <p>प्रविष्टि के सामने निर्यात मद 'कापर फायल' के लिए आयात मद और मात्रा निम्नानुसार संशोधित की जाती है:</p> <p>1(क) कॉपर इंगोट/कॉपर कैथोड.... 1.02 किग्रा, या 1(ख) कॉयल में कॉपर स्ट्रिप 1.01 किग्रा, या 1(ग) कापर स्क्रेप.....1.05 किग्रा,</p> |

| | | | |
|----|-------|------------------------------------------------------------------------|---------------------------------------------------------------------|
| 06 | ग 236 | उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 1679 पर | प्रविष्टि के मद्दे मानदण्ड संशोधित कर के निम्नानुसार पढ़ा जाएगा: |
|----|-------|------------------------------------------------------------------------|---------------------------------------------------------------------|

| क्र.सं. | निर्यात मद | मात्रा | आयात मद | अनुमत मात्रा |
|---------|------------------|-----------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| ग 1679 | फैरा एल्युमीनियम | 1 किग्रा. | 1) एल्युमीनियम स्क्रेप्स (टेन्ट और टेबोर) 2) माइल्ड स्टील स्क्रेप | फैरो एल्युमीनियम में 1.17 किग्रा/ किग्रा एल्युमीनियम कान्टैन्ट फैरो एल्युमीनियम में 1.024 किग्रा/ किग्रा आयरन कान्टैन्ट (एफई) |

| | | | |
|----|-------|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 07 | ग 239 | उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 1695 पर | <p>1. प्रविष्टि के सामने सार्वजनिक सूचना सं. 05 दिनांक 27-04-05 के द्वारा प्रकाशित क्रम सं. (1) अर्थात् 'सीआरजीओ/ सीआरएनजीओ लेमिनेशन ई एण्ड आई स्ट्रिप्स अथवा सीआरजीओ/सीआरएनजीओ स्टील शीट्स' पर आयात मद का विवरण "सीआरजीओ/ सीआरएनओ लेमिनेशन ई एण्ड आई 'स्ट्रिप्स' या सीआरजीओ/सीआरएनओ स्टील शीट/कॉयल्स"</p> <p>2. प्रविष्टि के सामने सार्वजनिक सूचना सं. 05 दिनांक 27-04-05 के द्वारा प्रकाशित क्रम सं. 2 पर अर्थात् 'रेलिवेंट डायामीटर के कॉपर वायर (कोटेड या अन्कोटेड) का विवरण संशोधित करके निम्नानुसार पढ़ा जाएगा:</p> |
|----|-------|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | | | |
|----|-------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | <p>“रेलिवेंट कॉपर वायर (कोटिड जिनमें इनेमल्ड/सेल्फ सोल्डरेबल इनेमल्ड अथवा अन्कोटेड भी शामिल है)।”</p> <p>3. प्रविष्टि के सामने सार्वजनिक सूचना सं. 05 दिनांक 27-04-05 के द्वारा प्रकाशित क्रम सं. 7 पर आयात मद अर्थात् ‘रेलिवेंट पीवीसी केबल अथवा लैड वायर’ का विवरण संशोधित करके निम्नानुसार पढ़ा जाएगा:</p> <p>“रेलिवेंट पीवीसी अथवा लैड वायर/केबल”</p> |
| 08 | ग 268 | <p>उत्पाद समूह: इन्जीनियरी उत्पाद सिआन प्रविष्टि क्र. सं. ग 1890 पर</p> | <p>प्रविष्टि के मद्दे क्रम सं. (1) पर आयात मद का विवरण अर्थात् ‘कापर कैथोड/कापर वायर बार’ मानदण्ड संशोधित कर निम्नानुसार पढ़ा जाएगा:</p> <p>“कापर कैथोड/कापर वायर बार/कास्ट कापर राड”</p> |
| 09 | ज 42 | <p>उत्पाद समूह: क्रम सं. ज 349 की प्लास्टिक सिआन प्रविष्टि</p> | <p>प्रविष्टि के मद्दे निर्यात मद के विवरण को संशोधित कर निम्नानुसार पढ़ा जाएगा:</p> <p>“विभिन्न अनुपातों में एचडीपीई/ पीपी से बने सेरेटेड टेप/सेरेटेड स्ट्रिप/यार्न (प्लेन/ टिवस्टेड) अथवा एचडीपीई और पीपी के मिश्रण से बने”</p> |

3077 GI/07-2

इंजीनियरिंग तालिका - 9(7)

निर्यात मद : सेल्फ सपोर्टिंग एरियल टेलीफोन केबल

| केबल आकार (जोड़े) | 10 | 20 | 30 | 50 | 70 | 100 | 150 |
|-------------------------------------------------|---------------------------------------|-------|--------|--------|--------|--------|--------|
| कापर कंडक्टर व्यास (मिमी.) | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| आयात मद/% अपशिष्ट | मात्रा किग्रा. में / लम्बाई किमी. में | | | | | | |
| कापर वायर राउ (1%) | 35.49 | 70.99 | 106.48 | 177.47 | 248.95 | 355.65 | 533.47 |
| एच डी पी ई इन्सुलेशन कम्पाउण्ड (2%) | 9.66 | 19.33 | 28.99 | 48.32 | 67.79 | 96.84 | 145.26 |
| पालीएस्टर फिल्म/टेप (2%) | 2.25 | 2.82 | 3.26 | 3.84 | 4.42 | 5.07 | 6.30 |
| एल्यूमीनियम फाइल प्लास्टिक कोटेड/लेमिनेटेड (2%) | 17.00 | 21.50 | 25.50 | 32.13 | 39.27 | 44.37 | 53.04 |
| एल डी पी ई कम्पाउण्ड (2%) | 47.60 | 57.10 | 67.90 | 84.90 | 104.10 | 123.50 | 150.20 |
| गैल्वनाइज्ड स्टील स्टैण्ड (2%) | 36.02 | 36.02 | 36.02 | 36.02 | 64.03 | 64.03 | 64.03 |

इंजीनियरिंग तालिका - 9(8)

निर्यात मद : सेल्फ सपोर्टिंग एरियल टेलीफोन केबल

| केबल आकार (जोड़े) | 10 | 20 | 30 | 50 | 70 | 100 | |
|-------------------------------------------------|---------------------------------------|--------|--------|--------|--------|--------|--|
| कापर कंडक्टर व्यास (मिमी.) | 0.65 | 0.65 | 0.65 | 0.65 | 0.65 | 0.65 | |
| आयात मद/% अपशिष्ट | मात्रा किग्रा. में / लम्बाई किमी. में | | | | | | |
| कापर वायर राउ (1%) | 59.99 | 199.97 | 179.96 | 299.93 | 419.90 | 599.85 | |
| एच डी पी ई इन्सुलेशन कम्पाउण्ड (2%) | 15.16 | 30.31 | 45.47 | 75.78 | 106.30 | 151.86 | |
| पालीएस्टर फिल्म/टेप (2%) | 2.61 | 3.19 | 3.77 | 4.39 | 5.21 | 6.23 | |
| एल्यूमीनियम फाइल प्लास्टिक कोटेड/लेमिनेटेड (2%) | 19.38 | 25.50 | 29.58 | 38.25 | 44.88 | 52.02 | |
| एल डी पी ई कम्पाउण्ड (2%) | 53.60 | 64.90 | 78.60 | 108.20 | 121.20 | 145.90 | |
| गैल्वनाइज्ड स्टील स्टैण्ड (2%) | 36.02 | 36.02 | 36.02 | 64.03 | 64.03 | 64.03 | |

सार्वजनिक सूचना संख्या 14 (आर. ई.-2007)/2004-2009 दिनांक 09-07-2007 का अनुलग्नक 'ग'

प्लास्टिक उत्पाद
प्लास्टिक उत्पादों के लिए सामान्य टिप्पणी
(उत्पाद कोड : ज)

1. परिणामी निर्यात उत्पाद के विनिर्माण के लिए आवश्यक निविष्टियों के मामले में, जहाँ एक या अधिक ऐसी निविष्टियों के विनिर्माण के लिए आधारभूत स्तर के मानदण्ड निहित हैं, वहाँ परिणामी निर्यात उत्पाद के विनिर्माण के लिए ऐसी निविष्टियों के स्थान पर इन मानदण्डों (पैकिंग सामग्री को छोड़कर, यदि कोई हो) का प्रयोग करते हुए लाइसेंस जारी किए जा सकते हैं।

MINISTRY OF COMMERCE AND INDUSTRY

(Department of Commerce)

PUBLIC NOTICE

New Delhi, the 9th July, 2007

No. 14(RE : 2007)/2004—2009

B. No. 01/87/171/00001/AM 08/DES-VIII.—In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2004—09 and Paragraph 1.1 of the Handbook of Procedures (Vol. 1), the Director General of Foreign Trade hereby makes the following amendments/additions/deletions/corrections in the Handbook of Procedures, Vol. 2, 2004—2009, as amended from time to time.

2. In the statement of Standard Input Output Norms (SION) as contained in the Handbook of Procedures (Vol.2), 2004-2009, as amended from time to time, amendments/corrections at appropriate places as mentioned in ANNEXURE "A" (Pages 2-5) to this Public Notice are made.
3. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below:-

ENGINEERING PRODUCTS

After the existing SION entry at Sl. No. C2034, new entries at Sl. Nos. C2035 to C2037 and new Engineering Tables No. 9(6), 9(7), and 9(8) are added as per Annexure "B" (Pages 6-8) to this Public Notice.

PLASTICS PRODUCTS

General Notes for Plastics Products (Product Code: H) is added as per Annexure "C" (Page 9) to this Public Notice.

This issues in public interest.

R.S. GUJRAL, Director General of Foreign Trade

ANNEXURE "A" to the Public Notice No. 14 (RE : 2007)/2004—2009
Dated 09-07-2007

AMENDMENTS/CORRECTIONS

| Sl. No. | Page No. | Reference | Amendments/Corrections |
|---------|----------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | 2 | 3 | 4 |
| 01 | A262 | Product Group: Chemicals and Allied Products SION entry at Sl. No. A3042 | The Import Item and the quantity allowed for the Export Item 'Didromyrcenol' against the entry are amended to read as under: "1 Alpha Pinene ----- 1.77 kg;" |
| 02 | C85 | Product Group: Engineering Products SION entry at Sl. No. C527 | The Import Items and quantity allowed at Sl. No. 1 against the entry is amended to read as under; 1(a) Stainless Steel Wire Rods----- 1060 kgs; OR 1(b) Stainless Steel Wire of dia 1.2 mm and above for redrawing of thinner wire of dia 1 mm and below ----- 1020 kgs; OR 1(c) Stainless Steel Wire of dia 0.7 mm and above for redrawing of thinner wire of dia 0.25 mm and below ----- 1020 kgs; |
| 03 | C113 | Product Group: Engineering Products SION entry at Sl. No. C856 | The Import Item and the quantity allowed for the Export Item 'Steel Stranded wire' against the entry are amended to read as under: 1(a) MS Wire Rod ----- 1.05 kg; OR 1(b) Steel Wire of relevant grade and dia ----- 1.02 kg; |

3077 GI/07-3

| | | | |
|----|------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 04 | C164 | Product Group: Engineering Products SION entry at Sl. No. C1168 | <p>The Import Item and the quantity for the Export Item 'Brass Foil' against the entry are amended to read as under:</p> <p>1a) Copper Cathode/Ingots ----- 1.05 kg/kg content in the export product;</p> <p>OR</p> <p>1b) Copper Scrap ----- 1.075 kg/kg content in the export product;</p> <p>2) Zinc Ingot ----- 1.05 kg/kg content in the export product;</p> |
| 05 | C166 | Product Group: Engineering Products SION entry at Sl. No. C1186 | <p>The Import Items and the quantity for the Export Item 'Copper Foil' against the entry is amended to read as under:</p> <p>1a) Copper Ingot/Copper Cathode ----- 1.02 kg;</p> <p>OR</p> <p>1b) Copper Strip in Coil ----- 1.01 kg;</p> <p>OR</p> <p>1c) Copper Scrap ----- 1.05 kg;</p> |
| 06 | C236 | Product Group: Engineering Products SION entry at Sl. No. C1679 | <p>The norms against the entry is amended to read as under:</p> |

| Sl.No. | Export Item | Qty. | Import Item | Qty. Allowed |
|--------------|-----------------|-------|-----------------------------------------------|-------------------------------------------------|
| C1679 | Ferro Aluminium | 1 Kg. | 1) Aluminium Scrap (Taint & Tabor) | 1.17 kg/kg aluminium content in Ferro Aluminium |
| | | | 2) Mild Steel Scrap | 1.024 kg/kg Iron |

| | | | | |
|--|--|--|--|------------------------------------------|
| | | | | (Fe) content in Ferro Aluminium |
|--|--|--|--|------------------------------------------|

| | | | |
|----|------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 07 | C239 | Product Group: Engineering Products SION entry at Sl. No. C1695 | <p>1. The description of Import Item at Sl. No. (1), i.e., 'CRGO/CRNGO Lamination E&I Strips OR CRGO/CRNGO Steel Sheets' published through the Public Notice No. 05 dated 27.04.2005 against the entry is amended to read as under:</p> <p>"CRGO/CRNO Lamination E&I 'Strips' OR CRGO/CRNO Steel Sheet/Coils"</p> <p>2. The description of Import Item at Sl. No. (2), i.e., 'Copper Wire of relevant diameters (coated or uncoated)' published through the Public Notice No. 05 dated 27.04.2005 against the entry is amended to read as under:</p> <p>"Relevant Copper Wire (Coated including enamelled /self solderable enamelled or uncoated)"</p> <p>3. The description of Import Item at Sl. No. (7), i.e., 'Relevant PVC Cable or Lead Wire' published through the Public Notice No. 05 dated 27.04.2005 against the entry is amended to read as under:</p> <p>"Relevant PVC or Lead Wire/Cable"</p> |
|----|------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | | | |
|----|------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 08 | C268 | Product Group: Engineering Products SION entry at Sl. No. C1890 | The description of Import Item at Sl. No. (1), i.e., 'Copper Cathode/Copper Wire Bar' against the entry is amended to read as under: "Copper Cathode/Copper Wire Bar/Cast Copper Rod" |
| 09 | H42 | Product Group: Plastics SION entry at Sl. No. H349 | The description of the Export Item against the entry is amended to read as under: "Serrated Tape/Serrated Strip/Yarn (Plain/Twisted) made of HDPE/PP OR Serrated Tape/Serrated Strip/Yarn (Plain/Twisted) made of blend of HDPE & PP in varying proportions" |

ANNEXURE "B" to the Public Notice No. 14 (RE : 2007)/2004—2009
Dated 09-07-2007

ENGINEERING PRODUCTS

| Sl.No. | Export Item | Qty. | Import Item |
|--------------|-----------------------------------------------------------------------------------------------------|------|-----------------------------------|
| C2035 | Self Supporting Aerial Telephone Cable of relevant size (pairs) having Copper Conductor 0.4 mm dia | 1 KM | As per Engineering Table No. 9(6) |
| C2036 | Self Supporting Aerial Telephone Cable of relevant size (pairs) having Copper Conductor 0.5 mm dia | 1 KM | As per Engineering Table No. 9(7) |
| C2037 | Self Supporting Aerial Telephone Cable of relevant size (pairs) having Copper Conductor 0.65 mm dia | 1 KM | As per Engineering Table No. 9(8) |

ENGINEERING TABLE - 9(6)**Export Item: Self Supporting Aerial Telephone Cable**

| Cable Size(Pairs) | 10 | 20 | 30 | 50 | 70 | 100 | 150 |
|----------------------------------------------|----------------------------|-------|-------|--------|--------|--------|--------|
| Copper Conductor Diameter (mm) | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| Import items/% wastage | Quantities in Kg/KM length | | | | | | |
| Copper Wire Rod (1%) | 22.72 | 45.43 | 68.15 | 113.58 | 159.33 | 227.62 | 341.42 |
| HDPE Insulation Compound (2%) | 6.84 | 13.68 | 20.52 | 34.20 | 48.02 | 68.60 | 102.90 |
| Polyester Film/Tape (2%) | 1.96 | 2.39 | 2.75 | 3.33 | 3.77 | 4.27 | 5.36 |
| Aluminium Foil plastic coated/laminated (2%) | 15.30 | 19.38 | 22.44 | 27.03 | 31.62 | 38.20 | 43.86 |
| LDPE Compound (2%) | 44.20 | 51.60 | 57.80 | 71.40 | 83.90 | 108.80 | 131.30 |
| Galvanized Steel Stand (2%) | 35.97 | 35.97 | 35.97 | 35.97 | 35.97 | 63.95 | 63.95 |

ENGINEERING TABLE - 9(7)**Export Item: Self Supporting Aerial Telephone Cable**

| Cable Size (Pairs) | 10 | 20 | 30 | 50 | 70 | 100 | 150 |
|----------------------------------------------|----------------------------|-------|--------|--------|--------|--------|--------|
| Copper Conductor Diameter (mm) | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| Import Items/ % wastage | Quantities in Kg/KM length | | | | | | |
| Copper Wire Rod (1%) | 35.49 | 70.99 | 106.48 | 177.47 | 248.95 | 355.65 | 533.47 |
| HDPE Insulation Compound (2%) | 9.66 | 19.33 | 28.99 | 48.32 | 67.79 | 96.84 | 145.26 |
| Polyester Film/Tape (2%) | 2.25 | 2.82 | 3.26 | 3.84 | 4.42 | 5.07 | 6.30 |
| Aluminium Foil plastic coated/laminated (2%) | 17.00 | 21.50 | 25.50 | 32.13 | 39.27 | 44.37 | 53.04 |
| LDPE Compound (2%) | 47.60 | 57.10 | 67.90 | 84.90 | 104.10 | 123.50 | 150.20 |
| Galvanized Steel Stand (2%) | 36.02 | 36.02 | 36.02 | 36.02 | 64.03 | 64.03 | 64.03 |

ENGINEERING TABLE - 9(8)**Export Item: Self Supporting Aerial Telephone Cable**

| Cable Size (Pairs) | 10 | 20 | 30 | 50 | 70 | 100 |
|----------------------------------------------|----------------------------|--------|--------|--------|--------|--------|
| Copper Conductor Diameter (mm) | 0.65 | 0.65 | 0.65 | 0.65 | 0.65 | 0.65 |
| Import Items/ % wastage | Quantities in Kg/KM length | | | | | |
| Copper Wire Rod (1%) | 59.99 | 199.97 | 179.96 | 299.93 | 419.90 | 599.85 |
| HDPE Insulation Compound (2%) | 15.16 | 30.31 | 45.47 | 75.78 | 106.30 | 151.86 |
| Polyester Film/Tape (2%) | 2.61 | 3.19 | 3.77 | 4.39 | 5.21 | 6.23 |
| Aluminium Foil plastic coated/laminated (2%) | 19.38 | 25.50 | 29.58 | 38.25 | 44.88 | 52.02 |
| LDPE Compound (2%) | 53.60 | 64.90 | 78.60 | 108.20 | 121.20 | 145.90 |
| Galvanized Steel Stand (2%) | 36.02 | 36.02 | 36.02 | 64.03 | 64.03 | 64.03 |

ANNEXURE "C" to the Public Notice No. 14 (RE : 2007)/2004—2009
Dated 09-07-2007

PLASTICS PRODUCTS

GENERAL NOTES FOR PLASTICS PRODUCTS
(PRODUCT CODE: H)

1. In case where the input(s) required for the manufacture of the resultant export product have norms from further basic stage(s) for manufacture of one or more of such inputs, the licence can be issued by using these norms (excluding packing material, if any) in place of such inputs, for manufacture of the resultant export product.